

Atlantis



Distribué par
Distributed by

ciot



Atlantis

Atlantis Nero 60x60cm (24"x24")

Avorio




Atlantis Avorio 30x60cm (12"x24") Lappato

FORMATI E FINITURE SIZES AND FINISHES FORMATI NOMINALI NOMINAL SIZES



90x90cm (36"x36") rett/lapp



60x120cm (24"x48")
rett/lapp




60x60cm (24"x24")
rett/lapp



30x60cm (12"x24")
rett/lapp



15x60cm (6"x24")
rett/lapp



7,5x30cm (3"x12")
rett/lapp



Hexagon
36,9x39,5cm
(14¹/₂"x15¹/₂")



Herringbone mix light
grigio-beige-avorio
29,5x35cm
(11⁵/₈"x13³/₄")



Mosaico
5x5cm (2"x2")
30x30cm (12"x12")




Battiscopa
7x60cm (2³/₄"x24") rett/lapp
7x90cm (2³/₄"x36") rett/lapp
7x120cm (2³/₄"x48") rett/lapp




Beige


FORMATI E FINITURE SIZES AND FINISHES
FORMATI NOMINALI NOMINAL SIZES




90x90cm (36"x36") rett/lapp




60x120cm (24"x48") rett/lapp




60x60cm (24"x24") rett/lapp



30x60cm (12"x24") rett/lapp



15x60cm (6"x24") rett/lapp



7,5x30cm (3"x12") rett/lapp




Hexagon
 36,9x39,5cm
 (14 1/2"x15 1/2")



Herringbone mix light
 grigio-beige-avorio
 29,5x35cm
 (11 5/8"x13 3/4")



Mosaico
 5x5cm (2"x2")
 30x30cm (12"x12")




Battiscopa
 7x60cm (2 3/4"x24") rett/lapp
 7x90cm (2 3/4"x36") rett/lapp
 7x120cm (2 3/4"x48") rett/lapp

Atlantis Beige 60x120cm (24"x48")


FORMATI E FINITURE SIZES AND FINISHES
FORMATI NOMINALI NOMINAL SIZES



90x90cm (36"x36") rett/lapp



60x120cm (24"x48") rett/lapp



60x60cm (24"x24") rett/lapp



30x60cm (12"x24") rett/lapp



15x60cm (6"x24") rett/lapp



7,5x30cm (3"x12") rett/lapp



Hexagon
 36,9x39,5cm
 (14¹/₂"x15¹/₂"")



Herringbone mix light
 grigio-beige-avorio
 29,5x35cm
 (11⁵/₈"x13³/₄"")



Mosaico
 5x5cm (2"x2")
 30x30cm (12"x12")




Battiscopa
 7x60cm (2³/₄"x24") rett/lapp
 7x90cm (2³/₄"x36") rett/lapp
 7x120cm (2³/₄"x48") rett/lapp

Atlantis Grigio 30x60cm (12"x24")
 Herringbone mix light 29,5x35cm (11⁵/₈"x13³/₄"")

BRONZO




FORMATI E FINITURE SIZES AND FINISHES FORMATI NOMINALI NOMINAL SIZES




90x90cm (36"x36") rett/lapp



60x120cm (24"x48")
rett/lapp



60x60cm (24"x24")
rett/lapp




30x60cm (12"x24")
rett/lapp



15x60cm (6"x24")
rett/lapp




7,5x30cm (3"x12")
rett/lapp



Hexagon
36,9x39,5cm
(14¹/₂"x15¹/₂")



Herringbone mix dark
antracite-bronzo-nero
29,5x35cm
(11⁵/₈"x13³/₄")



Mosaico
5x5cm (2"x2")
30x30cm (12"x12")



Battiscopa
7x60cm (2³/₄"x24") rett/lapp
7x90cm (2³/₄"x36") rett/lapp
7x120cm (2³/₄"x48") rett/lapp

Atlantis Bronzo 60x60cm (24"x24")
15x60cm (6"x24") - 7,5x30cm (3"x12")
Herringbone mix dark 29,5x35cm (11⁵/₈"x13³/₄")


Antracite




FORMATI E FINITURE SIZES AND FINISHES FORMATI NOMINALI NOMINAL SIZES




90x90cm (36"x36") rett/lapp



60x120cm (24"x48")
rett/lapp



60x60cm (24"x24")
rett/lapp




30x60cm (12"x24")
rett/lapp



15x60cm (6"x24")
rett/lapp



7,5x30cm (3"x12")
rett/lapp



Hexagon
36,9x39,5cm
(14¹/₂"x15¹/₂"



Herringbone mix dark
antracite-bronzo-nero
29,5x35cm
(11⁵/₈"x13³/₄"




Mosaico
5x5cm (2"x2")
30x30cm (12"x12")




Battiscopa
7x60cm (2³/₄"x24") rett/lapp
7x90cm (2³/₄"x36") rett/lapp
7x120cm (2³/₄"x48") rett/lapp

Atlantis Antracite 90x90cm (36"x36")
Hexagon antracite 36,9x39,5cm (14¹/₂"x15¹/₂"

FORMATI E FINITURE SIZES AND FINISHES FORMATI NOMINALI NOMINAL SIZES



90x90cm (36"x36") rett/lapp



60x120cm (24"x48")
rett/lapp



60x60cm (24"x24")
rett/lapp



30x60cm (12"x24")
rett/lapp



15x60cm (6"x24")
rett/lapp




7,5x30cm (3"x12")
rett/lapp



Hexagon
36,9x39,5cm
(14¹/₂"x15¹/₂")



Herringbone mix dark
antracite-bronzo-nero
29,5x35cm
(11⁵/₈"x13³/₄")



Mosaico
5x5cm (2"x2")
30x30cm (12"x12")




Battiscopa
7x60cm (2³/₄"x24") rett/lapp
7x90cm (2³/₄"x36") rett/lapp
7x120cm (2³/₄"x48") rett/lapp

Atlantis Nero 60x120cm (24"x48") Lappato

Caratteristiche Tecniche • Technical features • Technische eigenschaften*

Gres porcellanato impasto colorato - Through body porcelain stoneware - Durchgefärbtes feinsteinzeug - UGL

	NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	VALORE - MATT RESULTS - MATT	VALORE - LAPP RESULTS - LAPP
	ISO 10545/3	ASSORBIMENTO D'ACQUA - WATER ABSORPTION ABSORPTION D'EAU - WASSERAUFNAHME	$\leq 0,5\%$	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/4	RESISTENZA ALLA FLESSIONE - BENDING STRENGTH RESISTANCE A LA FLEXION - BIEGESTÄRKE	$R \geq 35 \text{ N/mm}^2$	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/8	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFF. BETWEEN 20°C - 100°C COEFF. DE DILATION THERMIQUE LINEAIRE ENTRE 20°C ET 100°C WÄRMEAUSSDEHNUNG ZWISCHEN 20°C UND 100°C	$\leq 9 \times 10^{-6}$	$9 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$	$9 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$
	ISO 10545/9	RESISTENZA AGLI SBALZI TERMICI - RESISTANCE TO THERMAL SHOCK RESISTANCE AUX CHOCs THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG	RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/11	RESISTENZA AL CAVILLO - CRAZING RESISTANCE RESISTANCE AU TRASSAILAGE - HAARRISSEFESTIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG	RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/14	RESISTENZA ALLE MACCHIE - STAIN RESISTANCE RESISTANCE AUX TACHES - FLECKENFESTIGKEIT	min. Classe 3	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/13	RESISTENZA ALL'ATTACCO CHIMICO - CHEMICAL RESISTANCE RESISTANCE A L'ATTACQUE CHIMIQUE - FÄHIG GEBEN SÄUREN UND LAUGEN	min. B	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	LUNGHEZZA E LARGHEZZA - LENGTH AND WIDTH LONGUEUR ET LARGEUR - LÄNGE UND BREITE	$\pm 0,5\%$	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	SPESORE - THICKNESS EPAISSEUR - STÄRKE	$\pm 5\%$	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	ORTOGONALITÀ - WEDGING ORTHOGONALITÉ - RECHTWINKLICHKEIT	$\pm 0,6\%$	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/2	PLANARITÀ - WARPAGE PLANÉITÉ - EBENFLÄCHIGKEIT	$\pm 0,5\%$	CONFORME CONFORMS	CONFORME CONFORMS
	ISO 10545/12	RESISTENZA AL GELO - FROST RESISTANCE RESISTANCE AU GEL - FROSTBESTÄNDIGKEIT		RESISTE - RESISTANT RESISTE - BESTÄNDIG	RESISTE - RESISTANT RESISTE - BESTÄNDIG
	ISO 10545/6	RESISTENZA ALL'ABRASIONE PROFONDA DEEP ABRASION RESISTANCE RESISTANCE A LABRASION PROFONDE TIEFENVERSCHLEISSBESTÄNDIGKEIT	$< 175 \text{ mm}^3$	CONFORME CONFORMS	CONFORME CONFORMS
	ROT 3000 WET DCOF	RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE - RESISTANCE AU GLISSEMENT BESTIMMUNG DER RUTSCHEMMEDE EIGENSCHAFT	$\geq 0,42$	Tile 1: 0,54 Tile 2: 0,55 Tile 3: 0,54	
	DIN 51130 R	water, oil, grease, etc. create slippery conditions. floor applications with exposure to these conditions require extra caution in product selection.		R10	



SOLUZIONI DI POSA
cm 60x120 - 24"x48"
cm 30x60 - 12"x24"
Per una corretta realizzazione si consiglia di posare i formati lunghezza 120 cm e 60 cm, sfalsati a correre al massimo 20 cm o posa pari.

INSTALLATION INFORMATION
cm 60x120 - 24"x48"
cm 30x60 - 12"x24"
For 120 cm (48") and 60 cm (24") long files, staggering should not exceed 20 cm (8").

VERLEGEBEISPIELE
cm 60x120 - 24"x48"
cm 30x60 - 12"x24"
Für einen korrekten und einwandfreien Belag, die Formaten mit 120 cm und 60 cm länge sollten bei der Verlegung maximal 20 cm versetzt sein.

SHADE VARIATION



Noi consigliamo fortemente l'uso di un sistema di posa con distanziatori autolivellanti.

We strongly recommend using a tile edge leveling system during installation.

Wir empfehlen dringend die Verwendung von einem Befestigungssystem mit leveling system.

Il est vivement recommandé l'utilisation d'un système de pose avec des croisillons autonivelant.

* These values may vary from lot to lot

Distribué par
Distributed by

ciot

IMBALLI PACKAGING

UNITÀ DI MISURA
UNIT OF MEASURES



Atlantis Rett/Lapp	90x90 (36"x36")	M²	2	37,11	1,62	18	29,16	667,98
Atlantis Rett/Lapp	60x120 (24"x48")	M²	2	35,90	1,44	22	31,68	789,80
Atlantis Rett/Lapp	60x60 (24"x24")	M²	3	25,50	1,08	40	43,20	1020,00
Atlantis Rett/Lapp	30x60 (12"x24")	M²	6	25,50	1,08	40	43,20	1020,00
Atlantis Rett/Lapp	7,5x30 (3"x12")	M²	17	9,03	0,38	84	31,92	758,52
Atlantis Rett/Lapp	15x60 (6"x24")	M²	10	21,25	0,90	40	36,00	850,00
Atlantis Mosaico 5x5 (2"x2")	30x30 (12"x12")	FOGLIO/SHEET	8	14,50	0,72	42	30,24	609,00
Atlantis Hexagon	36,9x39,5 (14 1/2"x15 1/2")	FOGLIO/SHEET	8	14,50	0,92	42	38,64	609,00
Atlantis Herringbone	29,5x35 (11 5/8"x13 3/4")	FOGLIO/SHEET	8	14,50	0,76	42	32,29	609,00
Atlantis Battiscopa Rett/Lapp	7x60 (2 3/4"x24")	PZ	15	14,00	-	40	-	560,00
Atlantis Battiscopa Rett/Lapp	7x90 (2 3/4"x36")	PZ	6	10,25	-	40	-	410,00
Atlantis Battiscopa Rett/Lapp	7x120 (2 3/4"x48")	PZ	6	13,00	-	40	-	520,00



100%
MADE IN ITALY

Ceramics of Italy

Verde 1999 srl - Via Ghiarola Nuova, 158 - 41042 Fiorano Modenese, MO Italy
tel +39 0536 832393 - fax +39 0536 913591 - www.verde1999.com - info@verde1999.com

