

NEW PRODUCT



COLORED BODY PORCELAIN STONEWARE



MARVEL PRO

COLORS



STATUARIO SELECT



GREY FLEURY



CREMO DELICATO



TRAVERTINO SILVER



TRAVERTINO ALABASTRINO



NOIR ST-LAURENT

DESCRIPTION

Marvel PRO by *Atlas Concorde* is a colored body porcelain stoneware which recreates with its intense veining, natural shades and refined appeal the appearance of real marble. The complete *Marvel PRO* collection for walls and floors combines the personality and expression of natural marble with the advantages of porcelain tiles. A guarantee of the perfect reproducibility of the surface over time and top quality technical properties in terms of resistance to wear, staining and detergents.

FORMATS (Rectified monocaliber tiles)

NATUREL RT: 30x60 cm | 45x90 cm | 60x60 cm
LAPPATO RT: 30x60 cm | 45x90 cm | 60x60 cm | 75x75 cm
 75x150 cm | 120x278 cm

STRUTTURATO RT: 30x60 cm
SATINATO RT (STATUARIO SELECT ONLY): 60x60 cm
LASTRA 20 mm STRUTTURATO RT: 45x90 cm | 60x60 cm

APPLICATIONS

Marvel PRO is ideal for an interior and exterior application on floors and walls in your residential and commercial projects.

TECHNICAL INFORMATIONS

	WATER ABSORPTION	FROST RESISTANCE	MOHS HARDNESS	CHEMICAL RESISTANCE	STAIN RESISTANCE	SLIP RESISTANCE
NORMES VALEURS	ISO 10545/3	ISO 10545/12	EN 101	ISO 10545/13	ISO 10545/14	DIN51130- DIN51097
	≤ 0,1 %	RESISTANT	NAT.: ≥ 6 LAP.-SAT.: 5 STR.: ≥ 7 to 8	NAT.: UA ULA UHA LAP.-SAT.: UA ULA STR.: UA ULA UHA	CLASS 5	D.C.O.F. ANSI 137.1-2012 (>0,42)
						NAT.: CONFORM STR.: CONFORM LASTRA: CONFORM LAP.: NOT CONFORM

INSTALLATION AND MAINTENANCE

It is suggested to lay tiles with a joint of 3 mm. ■ Use high quality adhesive and grout from a manufacturer such as Mapei, following manufacturer's recommendations and depending on site conditions. ■ It is recommended that you lay the rectangular 45x90 cm 75x150 cm formats side by side or offset by 2/3. Laying in a 50% staggered configuration is not advised. ■ As soon as the joints have fully set, it is advisable to proceed to the initial post-construction cleaning as described by the manufacturer. ■ Daily maintenance can be performed with a neutral detergent.

NEW PRODUCT



WHITE BODY WALL TILE



MARVEL PRO WALL

COLORS



DESCRIPTION

Marvel PRO Wall by *Atlas Concorde* is a white body wall tile which recreates with its intense veining, natural shades and refined appeal the appearance of real marble. A guarantee of the perfect reproducibility of the surface over time and top quality technical properties in terms of resistance to wear, staining and detergents.

FORMATS (Rectified monocaliber tiles)

LUCIDA RT: 30,5x91,5 cm | 40x80 cm

APPLICATIONS

Marvel PRO Wall is suitable for interior walls, in your residential and commercial projects.

TECHNICAL INFORMATIONS

	WATER ABSORPTION	FROST RESISTANCE	BENDING STRENGTH	CHEMICAL RESISTANCE	STAIN RESISTANCE	RECYCLED CONTENT
NORMS	ISO 10545/3 ≤ 0,5 %	ISO 10545/12	$R \geq 15 \text{ N/mm}^2$	ISO 10545/13	ISO 10545/14	MR4 CREDITS
VALUES	10 to 20 %	NON RESISTANT	CONFORM	GA GLA GHA	CLASS 5	PRE-CONS.: 20%

INSTALLATION AND MAINTENANCE

It is suggested to lay tiles with a joint of 3 mm. ■ Use high quality adhesive and grout from a manufacturer such as Mapei, following manufacturer's recommendations and depending on site conditions. ■ It is recommended that you lay the rectangular formats side by side or offset by 2/3. Fixing in a 50% staggered configuration is not advised. As soon as the joints have fully set, it is advisable to proceed to the initial post-construction cleaning. ■ It is recommended to proceed to initial cleaning with a neutral pH detergent. ■ Daily maintenance can be performed with a neutral detergent.



MARVEL PRO



MARVEL PRO

COLORED BODY PORCELAIN STONEWARE

WHITE BODY WALL TILE




MARVEL PRO WALL

METRIC (NOM.)	FLOOR											LASTRA 20 ^E	
	30 x 60 cm			60 x 60 cm			75 x 75 cm	45 x 90 cm		75 x 150 cm	120 x 278 cm	60 x 60 cm	45 x 90 cm
	12 x 24"			24 x 24"			29,5 x 29,5"	17,75 x 35,5"		29,5 x 59"	47,25 x 109,5"	24 x 24"	17,75 x 35,5"
	NAT. RT.	LAP. RT.	STR. RT.	NAT. RT.	LAP. RT.	SAT. RT.	LAP. RT.	NAT. RT.	LAP. RT.	LAP. RT.	LAP. RT.	STR. RT.	STR. RT.
V2 CREMO DELICATO	○	○	○	○	○	N/A	○	○	○	○	○	N/A	N/A
V3 GREY FLEURY	●	●	●	●	●	N/A	○	○	○	○	N/A	lim.	N/A
V2 NOIR ST-LAURENT	●	○	N/A	●	●	N/A	○	○	○	○	N/A	N/A	N/A
V3 STATUARIO SELECT	○	○	●	●	●	○	○	○	○	○	○	●	N/A
V2 TRAV. ALABASTRINO	○	○	N/A	○	○	N/A	○	○	○	○	N/A	N/A	N/A
V2 TRAV. SILVER	●	●	N/A	○	●	N/A	○	○	○	○	N/A	N/A	N/A

METRIC (NOMINAL)	MARVEL PRO WALL	
	30,5 x 91,5 cm	40 x 80 cm
	12 x 36"	15,75 x 31,5"
	LUC. RT.	LUC. RT.
CREMO DELICATO	○	○
GREY FLEURY	○	○
NOIR ST-LAURENT	○	○
STATUARIO SELECT	●	○
TRAV. ALABASTRINO	○	○
TRAVERTINO SILVER	○	○

MOSAICS



AVAILABILITY ¹

- in stock
- special order
- N/A not available
- lim. limited quantities (check the inventory available)

Trims, decor, listellos, special pieces and several mosaics available, consult your sales representative.

THICKNESS

MARVEL PRO: 6 mm, 9mm
 29.5x29.5 and 29.5x59: 10 mm
 MARVEL PRO WALL : 8,5mm
 LASTRA 20 mm: 20 mm

Country of origin: Italy

ICONS LEGEND

APPLICATION



USE




FROST



SLIP RESISTANCE



SHADE VARIATION



ENVIRONMENT



In the event of discrepancy with the official information of the manufacturer, the latter shall prevail.

⁽¹⁾ **Recycled Content:** The PRE and POST values indicate the origin of the materials used in the production of this product (Pre-consumer and Post-consumer). Please consult the manufacturer's Recycled Content document to learn more about this and other LEED® compliant products.

