

NEW PRODUCT



COLORED BODY PORCELAIN STONEWARE



COLORS



DESCRIPTION

Treverkhome by Marazzi is a colored body porcelain stoneware where the natural aspect and feeling of wood come together in a never seen before manner. *Treverkhome* reimagines what could be an elegant and prized natural wood, similar to oak. With its almost satin-like finish in eight colors and four formats, *Treverkhome* is ideal for your project.

FORMATS (Rectified monocaliber tiles)

NATURALE RT (NAT. RT): 15x120 cm | 20x120 cm | 30 x120 cm

APPLICATIONS


Treverkhome is ideal for an application on indoor floors and walls in your residential and commercial projects.

TECHNICAL INFORMATION

	WATER ABSORPTION	FROST RESISTANCE	BENDING STRENGTH	CHEMICAL RESISTANCE	STAIN RESISTANCE	ABRASION RESISTANCE	SLIP RESISTANCE	RECYCLED CONTENT MR4 CREDITS PRE-CONS.: 12% - 13%
NORMS	ISO 10545/3	ISO 10545/12	ISO 10545/4	ISO 10545/13	ISO 10545/14	ISO 10545/6	DIN 51130- D.C.O.F. ANSI 137.1 - 2012	
VALUES	≤ 0,5	RESISTANT	R _z ≥ 35 N/mm ² N _z ≥ 1300	GA GLA GHB	CLASS 5	≤ 175 mm ³	R9 > 0,42	

INSTALLATION AND MAINTENANCE

It is suggested to lay tiles with a joint of 3 mm. ■ Use high quality adhesive and grout from a manufacturer such as Mapei, following manufacturer's recommendations and depending on site conditions. ■ It is recommended that you lay the rectangular formats side by side or offset by 20%. Fixing in a 50% staggered configuration is not advised. ■ As soon as the joints have fully set, it is advisable to proceed to the initial post-construction cleaning as described by the manufacturer. ■ Daily maintenance can be performed with a neutral detergent.



NEW PRODUCT



COLORED BODY PORCELAIN STONEWARE



TREVERKHOME20

COLORS



FRASSINO



LARICE



QUERCIA



ROVERE

DESCRIPTION

Treverkhome20 by Marazzi is a colored body porcelain stoneware 20 mm thick showcasing a natural wood-effect perfect for outdoor living spaces. *Treverkhome20* reimagines what could be an elegant and much prized natural wood, similar to oak. With its almost satin-like finish in four colors and two formats, *Treverkhome20* is ideal for your project.

FORMATS

STRUTTURATO (STR.): 60x60 cm | 40x120 cm

STRUTTURATO RT (STR. RT): 60x60 cm

APPLICATIONS

Treverkhome20 is ideal for an interior or exterior application on floors in your residential and commercial projects.

TECHNICAL INFORMATION

	WATER ABSORPTION	FROST RESISTANCE	BENDING STRENGTH	CHEMICAL RESISTANCE	STAIN RESISTANCE	SLIP RESISTANCE
NORMS	ISO 10545/3	ISO 10545/12	ISO 10545/4	ISO 10545/13	ISO 10545/14	DIN51130-DIN51097 D.C.O.F. ANSI 137.1 - 2012 (>0,42)
VALUES	≤ 0,5	RESISTANT	R ≥ 45 N/mm ² N ≥ 11000	GA GLA GHB	CLASS 5	R11 A+B > 0,42

INSTALLATION AND MAINTENANCE

It is possible to lay tiles on grass, sand, gravel, with adhesive or raised using adjustable pedestals. See the **Outdoor Living by Ciot** guide for more information.



TREVERKHOME



TREVERKHOME



COLORED BODY PORCELAIN STONEWARE



TREVERKHOME20

	TREVERKHOME			TREVERKHOME20		
	15x120 cm	20x120 cm	30x120 cm	60x60 cm	60x60 cm	40x120 cm
METRIC (NOMINAL)	15x120 cm	20x120 cm	30x120 cm	60x60 cm	60x60 cm	40x120 cm
IMPERIAL (NOMINAL)	6 x 47¼"	8 x 47¼"	12 x 47¼"	24 x 24"	24 x 24"	16 x 48"
	NAT. RT	NAT. RT	NAT. RT	STR.	STR. RT	STR.
ACERO	○	●	○	N/A	N/A	N/A
BETULLA	○	○	○	N/A	N/A	N/A
CASTAGNO	○	○	○	N/A	N/A	N/A
FRASSINO	○	●	○	●	○	○
LARICE	○	○	○	○	○	○
OLMO	○	●	○	N/A	N/A	N/A
QUERCIA	○	●	○	●	○	○
ROVERE	○	○	○	○	○	○

AVAILABILITY *

- stock
- special order
- N/A non available

* Subject to change

Mosaics and special pieces available, ask your Ciot representative.

THICKNESS :
 Treverkhhome: 10,5 mm
 Treverkhhome20: 20 mm


MADE IN ITALY.

ICONS LEGEND

APPLICATION




SEALER



SLIP RESISTANCE RATE



SHADE VARIATION



In the event of discrepancy with the official information of the manufacturer, the latter shall prevail.