

GEO LUXE

Distribué par
Distributed by


ciot

UNVEILING A NEW MATERIAL TO THE WORLD

GEOLUXE | PYROLITHIC STONE™



Inspired by 500 million years of nature's research & development, we have developed a way to recreate and condense the natural stone-making process into a space of minutes.



Unveil, exhibition by Naoto Fukasawa at Milan Design Week 2016

GEOLUXE® is a breakthrough Pyrolithic Stone™ surface which combines the noble beauty of natural marble with superior technical performance. A complex mixture of 100% minerals is transformed through our patented GeoMimicry™ technology, and reveal realistic marble-like veins throughout the slabs.

GEOLUXE® overcomes the imperfections of natural marble and other manufactured surfaces, offering the ultimate combination of elegance and performance.



Exhibition at Kitchen & Bath Industry Show 2017

GEOLUXE® took home not only one but two Best of KBIS awards, the Best of KBIS Kitchen Gold Award and the highest coveted Best In Show Award for all of KBIS.





ELEVATE YOUR
COOKING EXPERIENCE



EREBUS

Inspired by a Belgian black marble that is scarce in nature, hidden like a precious gem deep underground. Its intense dark background is tastefully balanced by diagonal traces of brilliant white.





ERAMO

Eramo is inspired by the Canadian brown stone which its noble characteristics have charmed architects all over the world. Its warm color has been utilized in constructions of elegant palaces and important cathedrals.





ALIVERI

Dark and mysterious, Aliveri represents the truly exquisite Greek calcareous marble extracted from island not far away from Athens. Its white veining over a dark gray setting signifies classic contrast, yet restfully sophisticated.





DIONYSOS

Dionysos calls to mind the city located northeast of Athens city center. It epitomizes the city with the same name. Our version of this Greek marble offers the pure white background with light gray veins that flow across the slab.





NESTOS ROYAL


With the embodiment of warmth and comfort, Nestos Royal aligns strands of white and cream to resemble the wood grain characteristic found only in the Nestos marble.





NESTOS GRAY

Resolute bands of stately gray with notes of white, silver, and beige recall the dignified Greek marble. The Nestos Gray can satisfy the demand in any types of the greatest projects, from the classic style to the most modern applications.





BLUETTE

This exotic blue marble full of life and character is an Italian dolomite marble with its renowned value in the world market. This marble has an unusual tint of gray and blue vein that really comes alive and is the ideal stone for any opulent interior stone wall or floor and countertops.





PALISSANDRO

This white and blue marble is interpreted from the characteristic of the fine-grained, veined white marble found in dolomites. It shines beautifully gorgeous, resembling the perfect characteristics of classic Palissandro.





*EMBRACE **THE LUXURY***

A LUXURIOUS COLLECTION THAT DRAWS ITS INSPIRATION FROM THE NOBLEST MARBLES AROUND THE WORLD



EREBUS



ERAMO



ALIVERI



BLUETTE



PALISSANDRO




DIONYSOS



NESTOS ROYAL



NESTOS GRAY



Slab

1400 x 3200 mm (55 x 126 in)

Thickness 20 mm (3/4 in)


Surface finishes

Polished

Honed

Edge profiles

The profiles below are some of the unlimited edge designs possible with our through-body material







SUPERIOR PROPERTIES

By virtue of its superior properties that contribute to health, hygiene, and performance, **GEOLUXE®** is the ideal choice for kitchen and bathroom countertops.


The unique combination of properties that include stain, chemical, scratch, heat and frost resistance allows for easy maintenance and unmatched durability.




Fire and Heat
Resistant




UV
Resistant




Stain
Resistant




Chemical
Resistant




High Physical
Strength




Frost
Resistant




Scratch
Resistant



Low Water
Absorption



Impact
Resistant



Dimensional
Stability

CHARACTERISTIC	TEST METHOD	SPECIFICATION
Width	ISO 10545-2	1400 mm
Length	ISO 10545-2	3200 mm
Thickness	ISO 10545-2	20.0 ± 0.5 mm
Water absorption	ISO 10545-3	≤ 0.50 %
Breaking strength	ISO 10545-4	Not less than 3000 N
Resistance to deep abrasion	ISO 10545-6	Maximum 175 mm3
Frost resistance	ISO 10545-12	Resisted
Resistance to thermal shock	ISO 10545-9	Resisted
Resistance to stains	ISO 10545-14	Minimum Class 3
Resistance to chemical - Common household - Acid	ASTM C650	Not damaged
Mohs scale hardness	CSN EN 101	Minimum 4
Reaction to fire	EN 13501-1	Class A1

Remark: Specific test result by lot can be obtained upon request.

STORE LOCATIONS

Please contact your local official **GEOLUXE®** distributor
<http://geoluxe.com/en/store>

HEADQUARTERS

SCG Cement-Building Materials Co., Ltd.
1 Siam Cement Rd., Bangsue, Bangkok 10800, Thailand

www.geoluxe.com | info@geoluxe.com



Copyright © 2018 by **GEOLUXE®**

*Color of stones in this print may vary slightly due to the printing process. Final color selection should be made from stone samples.

*The detail information in this print may be modified or updated the company without prior notice.



Version 1/7.6.2017
Certificate date 7.6.2017
Thai Ceramics Co., Ltd.

ciot

montréal québec toronto detroit new york atlanta carrara
ciot.com

GEOLUXE
www.geoluxe.com