

14oraitaliana

Spirito Eclettico
Eclectic Spirit



Marmo Mix

Distribué par
Distributed by

ciot



Con Marmo Mix 14oraitaliana aggiunge un tassello alla propria ricerca nell'ambito dei materiali naturali sviluppando un focus sulle possibili varianti del marmo.

La ricca collezione si compone di quattro articoli commerciali ciascuno dei quali è formato da un mix di differenti essenze marmoree.

La logica che guida Marmo Mix è la variegata combinazione di texture e tonalità. Formano la gamma due mix di grigi (uno chiaro e uno scuro) e un mix di beige. A completamento una quarta miscela raggruppa diverse tipologie di marmo e gioca maggiormente con il colore includendo al suo interno i toni del rosso, del verde e del rosa. La superficie vibrante e dall'accennata lucentezza è utilizzabile sia a pavimento che a rivestimento ed è disponibile nel formato 9x90 e nei due formati a losanga 9x40.

With Marmo Mix 14oraitaliana adds an element to its own research in the field of natural materials by developing a focus on possible variants of marble.

The rich collection consists of four commercial items each of which is made up of a mix of different marble essences.

The logic behind Marmo Mix is the varied combination of textures and shades. The range is formed of two mixes of grey (one light and one dark) and a mix of beige. The range is completed by a fourth mix that includes different types of marble and plays mainly with colour, including shades of red, green and pink. The vibrant surface with faint sparkle can be used for flooring and wall tiles and is available in size 9x90 / 3,54"x35,43" and in two diamond shape (Losanga) 9x40 / 3,54"x16".

Marmo Mix

Losanga A
Losanga B
Color
9x40-3,54"x16"

Marmo Mix

GRES PORCELLANATO - RETTIFICATO
PORCELAIN STONEWARE - RECTIFIED

PRODOTTO INDUSTRIALE / INDUSTRIAL PRODUCT



9x90 - 3,54"x35,43"

spessore 10 mm
thickness 0,4"

LOSANGA A



9x40 - 3,54"x16"

LOSANGA B



9x40 - 3,54"x16"



GRIGIO LIGHT
0143604
LOSANGA A
0144478
LOSANGA B
0144479



GRIGIO DARK
0143605
LOSANGA A
0144480
LOSANGA B
0144481




SABBIA
0143606
LOSANGA A
0144482
LOSANGA B
0144483



COLOR
0143607
LOSANGA A
0144484
LOSANGA B
0144485

Dati Tecnici / Technical Info

NORMA STANDARD	CARATTERISTICHE FEATURES		VALORE PRESCRITTO VALUE REQUIRED	
	ISO 10545.2	DIMENSIONI lunghezza e larghezza spessore rettilineità degli spigoli ortogonalità planarità	SIZES length and width thickness straighthness of edges wedging fiatness	$\pm 0,6\%$ $\pm 5\%$ $\pm 0,5\%$ $\pm 0,6\%$ $\pm 0,5\%$
				Conforme In conformity with standard
	ISO 10545.3	Assorbimento d'acqua Water absorption		$\leq 0,5\%$ $< 0,5\%$
	ASTM C373			$\leq 0,5\%$ $< 0,5\%$
	ISO 10545.4	Resistenza alla flessione Bending strength	$> 35 \text{ N/mm}^2$	Resiste Resistant
	ASTM C658			
	ISO 10545.9	Resistenza agli sbalzi termici Thermal shocks resistant	Resistente Resistant no samples must show visible defects	Resiste Resistant Unaffected
	ASTM C484			
	ISO 10545.12	Resistenza al gelo Frost resistance	Resistente Resistant	Resiste Resistant
	ASTM C1026		Unaffected	Unaffected
	ISO 10545.13	Resistenza agli attacchi chimici Resistance to chemicals attacks	GA GLA GHA	Resiste Resistant
	ASTM C650			Unaffected
	ISO 10545.7	Resistenza all'abrasione Resistance to abrasion	-	Classe PEI 4
	ASTM C648			
	DIN 51130	Resistenza allo scivolamento Skid resistance		R9
	DCoF (Bot 3.000) ANSI A 137.1:2012		$\geq 0,42 \text{ wet}$	$> 0,42$
	ISO 10545.14	Resistenza alle macchie Resistance to stains	Valore minimo Min. value 3	5

ciot

montréal québec toronto detroit new york atlanta carrara
ciot.com

14oraitaliana

TARGET GROUP

VIA DEL CROCIALE, 69
41042 FIORANO MODENESE_MO
ITALY

Phone +39 0536 405150
14oraitaliana.com